

	Search Text
1	174/48
2	"copper-clad steel" and "copper-clad aluminum" and copper and "tin copper"
3	"copper clad steel" and "copper clad aluminum" and copper and "tin copper"
4	"copper-clad steel"
5	"tin copper"
6	"tin copper" and wire
7	"tin copper" and "copper-clad steel"
8	"wire size"
9	"wire size" and diameter
10	("wire size" and diameter) and "0.32 mm"
11	("wire size" and diameter) and "2.00 mm"
12	("wire size" and diameter) and range

	DBs
1	USPAT; US-PGPUB; EPO; JPO; DERWENT
2	USPAT; US-PGPUB; EPO; JPO; DERWENT
3	USPAT; US-PGPUB; EPO; JPO; DERWENT
4	USPAT; US-PGPUB; EPO; JPO; DERWENT
5	USPAT; US-PGPUB; EPO; JPO; DERWENT
6	USPAT; US-PGPUB; EPO; JPO; DERWENT
7	USPAT; US-PGPUB; EPO; JPO; DERWENT
8	USPAT; US-PGPUB; EPO; JPO; DERWENT
9	USPAT; US-PGPUB; EPO; JPO; DERWENT
10	USPAT; US-PGPUB; EPO; JPO; DERWENT
11	USPAT; US-PGPUB; EPO; JPO; DERWENT
12	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Search Text	DBs
1	polyamides and fluoropolymers and polyesters and polycarbonates and polypropylene and polyurethanes and polyacetals and polyacrylics and epoxies and "silicone polymers"	USPAT; US-PGPUB; EPO; JPO; DERWENT
2	polyamides and fluoropolymers and polyesters	USPAT; US-PGPUB; EPO; JPO; DERWENT
3	12 and polycarbonates and polypropylene and polyurethanes	USPAT; US-PGPUB; EPO; JPO; DERWENT
4	13 and polyacetals and polyacrylics	USPAT; US-PGPUB; EPO; JPO; DERWENT
5	13 and polyacetals	USPAT; US-PGPUB; EPO; JPO; DERWENT
6	smooth and (exterior or surface or outside) near3 pipe	USPAT; US-PGPUB; EPO; JPO; DERWENT
7	16 and conduit	USPAT; US-PGPUB; EPO; JPO; DERWENT
8	17 and (plastic or polymeric)	USPAT; US-PGPUB; EPO; JPO; DERWENT
9	(tube or pipe) and polyethylene and "polyvinyl chloride"	USPAT; US-PGPUB; EPO; JPO; DERWENT
10	19 and conduit	USPAT; US-PGPUB; EPO; JPO; DERWENT
11	"high density polyethylene"	USPAT; US-PGPUB; EPO; JPO; DERWENT
12	111 and (tube or pipe)	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Search Text	DBs
13	112 and conduit	USPAT; US-PGPUB; EPO; JPO; DERWENT
14	"high density polyethylene" near3 (tube or pipe)	USPAT; US-PGPUB; EPO; JPO; DERWENT
15	polytetrafluoroethylene	USPAT; US-PGPUB; EPO; JPO; DERWENT
16	115 wire and coating	USPAT; US-PGPUB; EPO; JPO; DERWENT
17	115 and wire and coating	USPAT; US-PGPUB; EPO; JPO; DERWENT
18	117 and (conduit or tube)	USPAT; US-PGPUB; EPO; JPO; DERWENT
19	118 and "copper-clad steel"	USPAT; US-PGPUB; EPO; JPO; DERWENT
20	"connecting conduits"	USPAT; US-PGPUB; EPO; JPO; DERWENT
21	120 and method	USPAT; US-PGPUB; EPO; JPO; DERWENT
22	120 and method and "plastic pipe"	USPAT; US-PGPUB; EPO; JPO; DERWENT
23	174/48 and conduit	USPAT; US-PGPUB; EPO; JPO; DERWENT
24	174/48 and conduit and detect	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Search Text	DBs
25	174/98	USPAT; US-PGPUB; EPO; JPO; DERWENT
26	"detector wire"	USPAT; US-PGPUB; EPO; JPO; DERWENT
27	"detection wire"	USPAT; US-PGPUB; EPO; JPO; DERWENT
28	174/98 and conduit	USPAT; US-PGPUB; EPO; JPO; DERWENT
29	174/68.3 and conduit	USPAT; US-PGPUB; EPO; JPO; DERWENT
30	174/97 and conduit	USPAT; US-PGPUB; EPO; JPO; DERWENT
31	174/72r and conduit	USPAT; US-PGPUB; EPO; JPO; DERWENT
32	174/112 and conduit	USPAT; US-PGPUB; EPO; JPO; DERWENT
33	138/104 and conduit	USPAT; US-PGPUB; EPO; JPO; DERWENT
34	138/110 and conduit	USPAT; US-PGPUB; EPO; JPO; DERWENT
35	"3555170"	USPAT; US-PGPUB; EPO; JPO; DERWENT